

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

1. IDENTIFICATION OF THE SUBSTANCES/ MIXTURE OF THE PRODUCTS

Product identifier

Trade name: Glasfacoll Object 210

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: adhesive for pasting wallpaper.

Details of the manufacturer of the safety sheet

Producer: Dutch Wall Decor bv

Address: Ohmweg 1F - 2952BD Alblasterdam

Phone: 0478 63 11 85

E-mail: info@dwd.nu

Website: www.dwd.nu

EMERGENCY TELEPHONE NUMBER

National Poisons Information Center: +31(0)30-2748888, exclusively intended to inform professional care providers in the event of acute poisoning.

2. HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to Regulation (EC) No. 1272/2008 (CLP):

Not classified/ not a hazardous substance/ mixture.

LABEL ELEMENTS

Hazard statements:

EUH208: Contains a mixture of 5-Chloro-2-methyl-2H-isothiazool-3-on en 2-Methyl-2H-isothiazool-3-on (3:1); 2-methyl-2H-isothiazool-3-on; 1,2-benzisothiazool-3(2H)-on. May cause an allergic reaction.

EUH210: Safety data sheet available on request.

OTHER HAZARDS

None.

The mixture does not meet the criteria for PBT/ vPvB in accordance with REACH, Appendix XIII.

3. COMPOSITION/ INFORMATION ON THE INGREDIENTS

Chemical nature: Aqueous dispersion of starch and/ or cellulose and/or polymer based on vinyl acetate.

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

MIXTURES

See the chemical description, the mixture also contains;

Name	Concentration	Catalog number	CAS-number	EG-number
1,2 Benzothiazool-(2H)-on	< 400 ppm	613-088-00-6	2634-33-5	220-120-9
3:1 mengsel van 5-chloro-2-methyl-4-isothiazool-3-on en 2-methyl-2H-isothiazool-3-on	< 15 ppm	613-167-00-5	55965-84-9	/
2-methyl-2H-isothiazool-3-on	< 100 ppm	/	2682-20-4	220-239-6

Name	Classification in accordance with Regulation (EG) No. 1272/2008 (CLP)	Hazard Statement:
1,2 Benzothiazool-(2H)-on	Skin Sensitization - Category 1	H317
3:1 mengsel van 5-chloro-2-methyl-4-isothiazool-3-on en 2-methyl-2H-isothiazool-3-on	Skin sensitization - Category 1A	H317
2-methyl-2H-isothiazool-3-on	Skin Sensitization - Category 1A	H317

Other hazards of the listed substances are not listed as they are no relevant at the concentration used in this mixture. Material Safety Data Sheets are available on request.

Further information in section 15. For full texts of H and P phrases: see section 16.

4. FIRST AID MEASURES

DESCRIPTION FIRST AID RECOMMENDATION

GENERAL ADVICE

No special measures necessary.

AFTER INHALATION

Take the person to fresh air, keep person warm and calm. With on going complaints, seek medical advice.

AFTER SKIN CONTACT

Rinse and wash with plenty soap and water. Seek medical advice in case of persistent complaints.

AFTER EYE CONTACT

Apply immediately, rinse well with water. Remove any contact lenses. Wash for at least 10 minutes. Get medical advice.

AFTER SWALLOWING

Rinse mouth and let person drink water. Notify a doctor and show this MSDS.

MAIN SYMPTOMS AND EFFECTS, BOTH IMMEDIATE AND DELAYED

No specific symptoms and/ or effects known.

INDICATION OF ANY IMMEDIATE MEDICAL ASSISTANCE AND SPECIAL NECESSARY

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

TREATMENT

Treatment: see section 4.1.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING

Carbon dioxide (CO₂), foam, dry extinguishing media or water mist.

SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

hazardous vapors (CO and CO₂) can develop in case of fire.

ADVICE FOR FIREFIGHTERS

Use respiratory protection/ compressed air mask. Collect extinguishing water, do not dump it in the sewer. This is a water-based mixture and does not pose a fire hazard in itself. This mixture can cause very slippery floors in case of leakage, wear good footwear.

6. INCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Contaminated floors become slippery, wear proper footwear. Safety gloves and safety glasses are recommended. Avoid eye contact with skin and eyes as much as possible.

ENVIRONMENTAL PRECAUTIONS

Avoid leakage into sewers and surface water as much as possible.

CONTAINING AND CLEANING METHODS AND MATERIAL

Soak up with absorbent material, such as sand, sawdust and universal binder. Rinse with water. Collect both the contaminated absorbent and rinsed water and dispose in consultation with local authorities. Clean tools immediately after use.

REFERENCE TO OTHER SECTIONS

For more information on personal protection see section 8. For more information on disposal of contaminated material see section 13.

7. PROCESSING AND STORAGE

PRECAUTIONS FOR SAFE USE

Hygiene measures:

Handle in accordance with good industrial hygiene and safety: wash hands before and after handling. Do not eat, drink or smoke while handling. Wash contaminated clothing immediately before reuse.

Recommendation for safe handling of the substance:

Contaminated floors become slippery, wear proper footwear. Avoid contact with the skin and eyes, avoid breathing gas or mist.

Measures for protection against fire and explosion:

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

No special protective measures required.

Measures to protect the environment:

Avoid damage to the packaging. Prepare material to be used immediately in case of leakage can act to prevent discharge into the sewer.

CONDITIONS FOR SECURE STORAGE, INCLUDING DIFFERENT SITUATIONS

Material storage:

Store cool, dry and tightly closed. Protect from frost.

Storen between 5 and 30 °C, at preferably between 15 and 25 °C. Protect from prolonged direct sunlight. No special technical protective equipment necessary.

Incompatible products:

Substances that react with water.

Measures for protection against fire and explosion:

No special protective measures required.

SPECIFIC END-USE(S)

Nothing specific.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

CONTROLS PARAMETERS

No control parameters have been established for this mixture.

Component:

3:1 mixture of 5-chloro-2-methyl-4-isothiazool-3-on en 2-methyl-2H-isothiazool-3-on

MAC (TWA): 0,2 mg/m³

EXPOSURE CONTROLS

General:

Provide adequate ventilation of the room, in the event of lack of ventilation, provide local extraction.

Eye protection:

Not required. Safety glasses are recommended.

Skin protection:

No special measures required.

Respiratory protection:

No special measures required.

Hand protection:

Not required. Safety gloves are recommended.

Material: nitrile rubber or similar material according to EN374. consult the supplier for adequate material.

Environmental exposure controls:

Do not discharge nto drains, surface water or groundwater.

9. PHYSICAL AND CHEMICAL PROPERTIES

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid, Paste	
Color	White/ Yellow	
Odour	Sweet/ typical	
Water solubility	Miscible	
pH	± 9,0	ISO 976
Melting-/ freezing point	± 0 ° C	
Initial boiling point and boiling range	± 100 °C	
Relative density	± 1,06 g/cm ³	ISO 2811-3
Viscosity	± 100,000 mPas	Brookfield RVT 4 rpm
Dry matter content	± 9 %	ISO 3251; 105 °C; 60 min.; 1g

Other physical and chemical properties are either not applicable or not tested.

OTHER INFORMATION

None.

Note: These are typical values and shapes, not a specification.

10. STABILITY AND REACTIVITY

REACTIVITY

Stable product under recommended storage conditions.

CHEMICAL STABILITY

No decomposition under recommended storage and handling condition.

POSSIBILITY OF HAZARDOUS REACTIONS

None.

CONDITIONS TO AVOID

Don't let it freeze. Avoid larger amounts of strong acid and strong lye, this will negatively affect the production properties.

CHEMICAL INTERACTING MATERIALS.

Substances that react with water.

HAZARDOUS DECOMPOSITION PRODUCTS

No decomposition under recommended storage and handling condition.

11. TOXOLOGICAL INFORMATION

INFORMATION ON TOXOLOGICAL EFFECTS

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

ACUTE TOXICITY

This mixture is not classified as toxic. No data is available for this mixture. Based on the data of the individual components, does not meet the classification criteria satisfied. The mixture is therefore not considered to be acutely dermal or oral toxic, based on analogous inference.

TOXIOLOGICAL INFORMATION OF THE MAIN SUBSTANCES IN THE MIXTURE

Not applicable, based on the concentrations used, this is considered not relevant deemed.

INFORMATION ABOUT LIKELY EXPOSURE ROUTES

Ingestions: Yes.

Inhalation: No.

Skin: No.

SKIN CORROSION/ SKIN IRRITATION

No known irritant effect.

SERIOUS EYE DAMAGE/ EYE IRRITATION

The mixture is not classified as an irritant. However a temporary, mildly irritating, effect may occur upon contact with eyes.

SENSITIZATION

Sensitization to the substances mentioned in section 3 may occur. Especially in persons who are sensitive to it.

CARCINOGENIC EFFECT

No effect known.

MUTAGEN EFFECTS

No effect known.

The information reported is largely determined by analogous inference.

12. ECOLOGICAL INFORMATION

TOXICITY

Aquatic Toxicity:

Based on the substances in the mixture, the mixture is not considered to be toxic to the aquatic environment.

Components:

1,2-benzisothiazool-3(2H)-on

CAS: 2634-33-5

Acute aquatic toxicity.

Test: EC50

Species: Daphnia

Dose: 3,7 mg/l

Duration: 48 uur

Test: EC50

Species: Algen

Dose: 0,37 mg/l

Duration: 72 uur

3:1 mengsel van 5-chloro-2-methyl-4-isathiazool-3-on en 2-methyl-2H-isothiazool-3-on

CAS: 55965-84-9

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

Acute aquatic toxicity.

Test: EC50	Species: Daphnia	Dose: 0,16 mg/l	Duration: 48 uur
------------	------------------	-----------------	------------------

Test: LC50	Species: Vissen	Dose: 0,19 mg/l	Duration: 96 uur
------------	-----------------	-----------------	------------------

2-methyl-2H-isothiazool-3-on

CAS: 2682-20-4

Acute aquatic toxicity

Test: EC50	Species: Daphnia	Dose: 1,6 mg/l	Duration: 48 uur
------------	------------------	----------------	------------------

Test: LC50	Species: Vissen	Dose: 6,0 mg/l	Duration: 96 uur
------------	-----------------	----------------	------------------

Persistence and degradability:

Persistence: no data available.

Degradability: largely biodegradable based on analogous inference.

Bioaccumulation:

No information available/ not applicable.

Mobility in the soil:

No information available/ no applicable.

Results of PBT and vPvB assessment:

No PBR components.

No vPvB components.

Other harmful effects:

Np information available.

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

Mixture:

The waste of the mixture can be disposed in accordance with the local rules, depending on the composition of the mixture at the time of execution. A diluted mixture can probably be treated with biological cleaning equipment, with the permission of the authorities/ competent body.

Packaging:

Empty packaging as much as possible. After cleaning, the packaging can be reused and/ or disposed of in accordance with local regulations.

European waste catalogue:

In consultation with regional authorities, probably (if not mixed with other materials). 08 04 10

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

waste adhesives and sealants other than those mentioned in 08 04 09.

14. TRANSPORT INFORMATION

UN-number:

Geen.

Proper UN shipping Name:

N.v.t.

Transport hazard classes:

ADR/ RID:	Not regulated
ICAO/ IATA:	Dangerous goods
IMDG:	Not regulated

Packing group:

N/A

Environmental hazards:

N/A

Special precautions for user:

N/A

Transport in bulk in accordance with Annex II of Marpol and the IBC Code:

N/A

15. REGULATORY INFORMATION

SPECIFIC SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS AND LEGISLATION FOR THE SUBSTANCE OR MIXTURE

EU claims:

Council regulation 1907/2006 (Reach)

Regulation 1272/2008 (CLP) + all subsequent ATPs

Designation according to EU directive 1907/2006

Annex XIV (substances of very high concern): None of the ingredients are listed.

Annex XVII: not applicable.

Designation according to EU directives 1272/2008 (CLP)

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

This mixture is subject to international labeling regulations according to EU 1272/2008:
Label must bear risk phrases EUH 208 and EUH 210.

Other regulations:

Information in accordance with Directive 2004/42/EC on the limitation of emissions of volatile organic compounds (VOC guideline):

VOC content: not determined. Based on the materials in the mixture calculated at <1g/kg.

CHEMICAL SAFETY ASSESEMENT.

For this substance/ mixture no chemical safety assesement has been made by the supplier, the reason for this is because it is not necessary.

16. OTHER INFORMATION

DISCLAIMER

The information in this data sheet is based on our current knowledge. However they are not warranty for specific product features and do not constitute a valid contract. The information about the mixture provided in this safety date sheet (SDS) is formulated on the basis of the drafting individual's knowlgedge based on scientific sources. The information provided relates only to the mixture in the application where the mixture suitable for is. Thie mixture is not sold as being suitable for other applications. Do not use the information in this sheet for any other application, seek advice from the supplier.

GLOSSARY H-PHRASES

H317: may cause an allergic skin reaction.

GLOSSARY P-PHRASES: N/A

GLOSSARY OF ADDITIONAL HAZARD INFORMATION

EUH208: Contains < product name >. May cause an allergic reaction.

EUH210: Safety data sheet available on request.

USED ABBREVIATIONS

ADR: European Agreement concerning the Intenational Carraige of Dangerous Goods by Road

ATP: Adaptation to Technical and scientific Progress

CLP: Classification, labelling and packaging.

ICAO: International Civil Aviation Organization.

IATA: International Air Transport Organization.

IMDG: International Maritime Code for Dangerous Goods.

MAC.: Maximum aandvaardbare concentratie.

N.v.t.: Niet van toepassing.

Ppm: Parts per million, gewichtsdelen per miljoen eenheden (mg/kg)

Safety Data Sheet



Glasfacoll Object 210

Issued: 01-07-2023

RID: Regulation Concerning the International Transport of Dangerous Goods
by Rail.

TWA: Time weighted average.

CONTACT

Dutch Wall Decor bv
Ohmweg 1F
2952BD Alblasserdam
Nederland
info@dwd.nu
0478 63 11 85

